

**THE NEW
SHAPE OF
STRENGTH:**



PREST LOCK 2™

IT LASTS LONGER

PREST
RACK

Prest Lock 2™

Built Stronger To Last Longer

Presenting new Prest Lock 2: The stronger teardrop ... stronger than traditional open back systems by 20%. It's the standard teardrop design favored by many rack storage users, but it's simply a better-built teardrop system, all around. Prest Lock 2 is a tube that is roll-formed. That makes it strong. It's quick and easy to install. That makes it convenient. And it's totally interchangeable with all major teardrop-style products on the market. That makes it just about perfect.

All Teardrops Are Not Created Equal

What makes Prest Lock 2 stronger is the design. Prest Lock 2 utilizes a roll-formed tubular upright. The framework is a completely enclosed and welded tube, resulting in added stability and maximum strength. Bang it with a pallet, bump it with a forklift. Prest Lock 2 holds up because it's built to take it. Prest Lock 2 is also engineered for safety and meets 1997 RMI Compliance.

Easily Adjustable

With new Prest Lock 2, it's easy to change/adjust beam levels. Prest Lock 2 automatically locks into place, no pins needed, refusing to budge, bend or bulge out of shape. Heavy-duty compression fasteners help your beams stay put, regardless of how many times they've been repositioned. In a matter of minutes you can completely reconfigure your rack system to meet changing requirements, to accommodate varying stock.

Prest Lock 2 Works With Other Teardrop Systems

New Prest Lock 2 fits with other traditional teardrop systems. This means you can replace damaged, weak, worn-out uprights and beams with new, easy-to-install Prest Lock 2. No need to change your whole system.

Tough, Durable And Smooth Finish

Prest Lock 2's good looks could fool you if you didn't know about its durable finish. The baked-on powder epoxy finish gives it an appliance-like finish. It's also impact and corrosion resistant, and it's available in 8 colors, plus custom colors.


Count On Prest For Total Support

Prest provides the support you need before and after you buy new Prest Lock 2. If you need help designing your space with Prest products, we can assist you in that area. Prest is one of the few storage systems manufacturers with a dedicated network of professional, experienced local dealers. And after your racks are up and running, Prest is there to monitor and assure system performance. Top it off with our 7-day express shipping program, and you've got the total support you need from everyone at Prest Rack.

Strength & Convenience



Prest Lock 2 features a roll-formed tubular upright resulting in greater strength and durability. This offers you a racking system that can withstand the abuse of a warehouse environment.



Replaceable locks make it easy and cost-efficient to replace an old or damaged lock. Lock is replaced rather than the entire beam—saving you time and money.

Adjustable in
two inch
increments.

High-gloss epoxy finish.


Roll-formed beams are structurally strong, feature an integral step for decking and are totally enclosed for clean applications.

Totally enclosed tube for added strength and system stability.


Heavy-duty locks are replaceable. Lock is easily changed if damaged ... eliminating the need to replace the entire beam.

Standard "teardrop" shape is compatible with all major teardrop-style products on the market.


Stable 90 degree connection is maintained with a heavy-duty three rivet connector.




Standard Color Options



orange



blue



yellow



vista green

Special Color Options

Special colors are available. Check lead time with your local dealer.



red



eggshell




grey



black

Standard and Moment Resistant Base Plate Static Loading

FIRST BEAM LEVEL	TD 3214	TD 3212	TD 3314	TD 3312
48"	20,745#	28,990#	30,887#	43,405#
54"	18,508#	25,797#	28,223#	39,595#
60"	16,278#	22,623#	25,500#	35,708#
66"	14,115#	19,553#	22,781#	31,834#
72"	12,059#	16,628#	20,124#	28,057#
78"	10,207#	14,074#	17,577#	24,446#
84"	8,750#	12,066#	15,153#	21,032#
90"	7,585#	10,459#	13,135#	18,231#
96"	6,638#	9,153#	11,495#	15,954#
102"	5,858#	8,077#	10,144#	14,079#
108"	5,207#	7,181#	9,018#	12,516#



Beam Capacity Chart

LENGTH	SEISMIC ZONE	TSB-3515	TSB-3915	TSB-4315	TSB-4815	TSB-5315	TSB-5814	TSB-5812
54"	ZONE 0-4	7990	9340	10600	12255	13410	15335	15500
	WEIGHT/EA.	13.6	14.4	15.1	16.1	17.9	20.3	27.4
90"	ZONE 0-4	4660	5855	6660	7635	8930	11240	13730
	WEIGHT/EA.	21.1	22.4	23.7	25.3	27.8	31.9	43.7
92"	ZONE 0-4	4480	5685	6535	7480	8750	11010	13575
	WEIGHT/EA.	21.5	22.9	24.2	25.8	28.3	32.5	44.7
96"	ZONE 0-4	4150	5260	6280	7200	8415	10580	13280
	WEIGHT/EA.	22.3	23.8	25.1	26.8	29.4	33.8	46.5
108"	ZONE 0-4	3365	4245	5205	6405	7550	9470	12530
	WEIGHT/EA.	24.8	26.4	28.0	29.9	32.7	37.7	51.9
120"	ZONE 0-4	2790	3505	4285	5370	6765	8585	11495
	WEIGHT/EA.	27.3	29.1	30.8	33.0	36.0	41.5	57.4
132"	ZONE 0-4	2365	2955	3600	4500	5695	7615	9805
	WEIGHT/EA.	29.8	31.8	33.7	36.0	39.3	45.4	62.8
144"	ZONE 0-4	2035	2530	3075	4330	5040	6455	8295
	WEIGHT/EA.	32.3	34.5	36.6	39.1	42.6	49.2	68.2



Prest Rack, Inc.
 500 Insbrook Lane, P.O. Box 96
 Brookings, South Dakota 57006
 800-877-3744
 605-697-2600
 Fax: 605-697-2626
 www.prestrack.com

