

Steel Pipe Safety Bollards

Bollards can be used both indoors and outdoors to protect work areas, racking and personnel. Powder coated safety yellow finish. Molded rubber caps are removable on 4½" and 5½" diameter units. Steel caps are welded on the 1¾" diameter units. Base plate measures 8" x 8", on the 4.5 and 5.5 units (5" x 5" on the 1¾" units), and include four (4) pre-drilled mounting holes. Mounting kits and replacement caps available. Welded steel construction.

MODEL NUMBER	DESCRIPTION	HEIGHT	OUTSIDE DIAMETER	NET WT. (LBS.)	LIST PRICE EACH
BOL-24-2Ⓢ	STEEL PIPE BOLLARD	24"	1¾"	12	
BOL-36-2Ⓢ	STEEL PIPE BOLLARD	36"	1¾"	15	
BOL-42-2Ⓢ	STEEL PIPE BOLLARD	42"	1¾"	16	
BOL-48-2Ⓢ	STEEL PIPE BOLLARD	48"	1¾"	22	
BOL-24-4.5Ⓢ	STEEL PIPE BOLLARD	24"	4½"	34	
BOL-36-4.5Ⓢ	STEEL PIPE BOLLARD	36"	4½"	45	
BOL-42-4.5Ⓢ	STEEL PIPE BOLLARD	42"	4½"	50	
BOL-48-4.5Ⓢ	STEEL PIPE BOLLARD	48"	4½"	56	
BOL-24-5.5Ⓢ	STEEL PIPE BOLLARD	24"	5½"	42	
BOL-36-5.5Ⓢ	STEEL PIPE BOLLARD	36"	5½"	57	
BOL-42-5.5Ⓢ	STEEL PIPE BOLLARD	42"	5½"	69	
BOL-48-5.5Ⓢ	STEEL PIPE BOLLARD	48"	5½"	78	
BOL-ABK-3Ⓢ	CONCRETE ANCHOR BOLTS (4) 3/8" x 3" (1¾" DIA. BOLLARDS)			2	
BOL-ABK-4Ⓢ	CONCRETE ANCHOR BOLTS (4) 3/4" x 4" (4½" & 5½" DIA. BOL.)			2	

DC-20/UPS/FC-50♦



48 Hours to Ship

POWDER COATED TOUGH

Smokers Bollards

Heavy-duty steel bollard also functions as a cigarette disposal unit. Cigarette disposable hole measures 1¼" diameter. Removable top is connected to steel container for holding cigarette butts. Top is lockable with padlock (padlock not included). Includes a durable powder coat safety yellow finish. Base plate includes four pre-drilled installation holes. Installation hardware sold separately. Optional dome base to hide installation bolts.

MODEL NUMBER	HEIGHT	OUTSIDE DIAMETER	BASE PLATE	NET WT. (POUNDS)	LIST PRICE EACH
BOL-SMK	35"	4½"	8" x 8"	32	
DOME-4.5Ⓢ	3"	14"	--	8	
BOL-ABK-4Ⓢ	CONCRETE ANCHOR BOLTS (4) 3/4" x 4"			2	

DC-20/UPS/FC-50♦

48 Hours to Ship

POWDER COATED TOUGH



Offset Steel Bollards

Unique design features offset base plate that won't interfere with traffic. The 8" x 8" base plate includes (4) pre-drilled mounting holes (mounting hardware is sold separately). Removable rubber top cap and black/yellow safety tape included. Heavy-duty welded steel construction with a powder coat safety yellow finish is standard.

MODEL NUMBER	HEIGHT	OUTSIDE DIAMETER	BASE PLATE	NET WT. (POUNDS)	LIST PRICE EACH
OBOL-35-4.5	35"	4½"	8" x 8"	32	
OBOL-47-4.5	47"	4½"	8" x 8"	41	
OBOL-53-4.5	53"	4½"	8" x 8"	46	
BOL-ABK-4	CONCRETE ANCHOR BOLTS (4) 3/4" x 4"			2	

DC-20/UPS/FC-50♦

POWDER COATED TOUGH



Pour In Place Bollards

Make your bollards permanent by setting them in concrete. The extra length of the Pour in Place Bollard allows you to maintain the needed height while fixing the bollard in concrete. Bollard comes with welded anchoring tabs and a removable cap so the bollard can be filled with concrete to increase its strength and durability. Powder coated yellow for high visibility.

MODEL NUMBER	USABLE HEIGHT	OVERALL HEIGHT	OUTSIDE DIAMETER	NET WT. (POUNDS)	LIST PRICE EACH
BOLPP-24-5.5	24"	34"	5½"	44	
BOLPP-36-5.5	36"	46"	5½"	59	
BOLPP-42-5.5	42"	52"	5½"	73	
BOLPP-48-5.5	48"	58"	5½"	88	

DC-20/UPS/FC-50♦

POWDER COATED TOUGH



PROTECTIVE BARRIERS



48 Hours
to Ship

CHROME PLATED
model CBOL-42-4



REMOVABLE
series BOL-R



REMOVABLE
ORNAMENTAL BOLLARD
model BOL-OR-40-BK



SELF STORING
model BOL-SS-42-5.5



MOVABLE
model BOL-MB-42-5.5



FOLDING BOLLARD
model BOL-FD-36-Y

Chrome-Plated Steel Bollard

Improve the image of your facility while protecting people and equipment. Unit is made of steel and finished with an attractive bright chrome plating for a clean fresh look. A black plastic top cap is removable to fill the bollard with concrete for greater strength and stability. The mounting plate is pre-drilled with (4) 1/2" diameter holes for quick and easy installation. Base plate diameter is 8".

MODEL NUMBER	HEIGHT	DIAMETER	NET WT. (POUNDS)	LIST PRICE EACH
CBOL-42-4	42"	4"	27	
CBOL-ABK-3	CONCRETE ANCHOR BOLTS (4) 3/8" x 3"		2	

DC-20/UPS

Removable Bollards

The Removable Bollard comes with a sleeve that can be set in concrete to hold the bollard. When access is needed into an area that is protected by the bollard, simply lift the bollard out of the sleeve. Replace the bollard in its sleeve to reinstate the protective barrier. Powder coated yellow for high visibility. Sleeve is included.

MODEL NUMBER	USABLE HEIGHT	OVERALL HEIGHT	BOLLARD DIAMETER	NET WT. (POUNDS)	LIST PRICE EACH
BOL-R-36-5.5	36"	46"	5 1/2"	88	
BOL-R-42-5.5	42"	52"	5 1/2"	96	
BOL-R-48-5.5	48"	58"	5 1/2"	103	

DC-25/UPS/FC-50♦

Removable Ornamental Bollard

Provide an attractive yet functional barrier to vehicle access and parking. Bollard locks into galvanized steel socket that is cemented into the ground. When the bollard is removed, a socket cover protects the hole, leaving no protrusion above the surface. Padlock not included. Powder coat black finish. Includes eyes for attaching chain or rope.

MODEL NUMBER	USABLE HEIGHT	BOLLARD DIAMETER	NET WT. (POUNDS)	LIST PRICE EACH
BOL-OR-40-BK	40"	6"	84	

DC-25/UPS/FC-50♦

Self Storing Bollard with Door & Lock

This unique bollard is designed to slide down into the ground or floor when not needed. Great for preventing access to parking areas. Each unit includes a sleeve that can be set in the ground with concrete. Bollard has a handle in the top to allow for easy lifting and lowering. Lift and twist to lock into raised position. Twist and lower to return to stored position. Includes locking tab for use with padlock (padlock not included) to prevent unauthorized operation. Steel construction with powder coat safety yellow finish.

MODEL NUMBER	USABLE HEIGHT	BOLLARD DIAMETER	NET WT. (POUNDS)	LIST PRICE EACH
BOL-SS-42-5.5	42"	4 1/2"	163	

DC-25/UPS/FC-50♦

Movable Bollard (with Wheels)

Movable Bollard provides a portable visual barrier when an area needs temporary protection. Ideal for use when keeping traffic out of a temporarily hazardous area or area under repair. Can be used indoors or outdoors. Mold-on-rubber wheels standard. Powder coated yellow for high visibility.

MODEL NUMBER	USABLE HEIGHT	OUTSIDE DIAMETER	WHEEL SIZE	NET WT. (POUNDS)	LIST PRICE EACH
BOL-MB-42-5.5	42"	5 1/2"	10"	71	

DC-25/UPS/FC-50♦

Folding Bollard

Folding steel barrier post for parking control and security. Bollard is locked in the raised position with a padlock (padlock not included). When padlock is removed, bollard may be lowered to ground to allow for access. Base plate must be lagged to ground for proper installation (installation hardware not included). Steel construction. Powder coat yellow or galvanized finish.

MODEL NUMBER	DESCRIPTION	EXTENDED HEIGHT	COLLAPSED HEIGHT	BOLLARD DIAMETER	NET WT. (POUNDS)	LIST PRICE EACH
BOL-FD-36-Y	YELLOW	42"	4"	1 3/4"	20	
BOL-FD-36-G	GALVANIZED	42"	4"	1 3/4"	20	

DC-25/UPS/FC-50♦

Bollard Caps

Replace lost or damaged bollard caps. Easy to attach. Rubber cap has serrated tapered teeth for press-fit installation.

MODEL NUMBER	MATERIAL	INNER DIAMETER PIPE FITTING	FITS MODEL	NET WT. (POUNDS)	LIST PRICE EACH
BOL-CAP-4.5-R	MOLDED RUBBER	4.26" (4" SCH. 10 PIPE)	BOL-4.5	1	
BOL-CAP-5.5-R	MOLDED RUBBER	5.30" (5" SCH. 10 PIPE)	BOL-5.5	1	

DC-20/UPS/FC-50



MOLDED RUBBER series BOL-CAP-R

Bollard/Post Covers



This durable poly sleeve will minimize maintenance and improve appearance. Covers are 1/8" thick. Units slide over existing bollards. No hardware needed.

MODEL NUMBER	HEIGHT	OUTSIDE DIAMETER	INSIDE DIAMETER	NET WT. (POUNDS)	LIST PRICE EACH
BPC-4	52"	5"	4-7/8"	5	
BPC-7	52"	7-1/8"	7"	6	

DC-25/UPS/FC-125



Plastic Bollard Covers

Eliminate the need for costly scraping and painting of unsightly bollards. The low density polyethylene thermoplastic molded sleeves slide over existing bollards. Covers are 1/4" thick. No hardware needed. Additional sizes, thicknesses, and colors available. Contact factory.

MODEL NUMBER	USE WITH MODEL	HEIGHT	INSIDE DIAMETER	NET WT. (POUNDS)	LIST PRICE EACH	LIST PRICE 4 OR MORE
BPC-24-4.5	BOL-24-4.5	24"	4-13/16"	4	\$51.00	
BPC-36-4.5	BOL-36-4.5	36"	4-13/16"	6	51.00	
BPC-42-4.5	BOL-42-4.5	42"	4-13/16"	8	51.00	
BPC-24-5.5	BOL-24-5.5	24"	5-7/8"	6	\$57.00	
BPC-36-5.5	BOL-36-5.5	36"	5-7/8"	9	57.00	
BPC-42-5.5	BOL-42-5.5	42"	5-7/8"	11	57.00	

DC-20/UPS/FC-125



Spring Loaded Steel Bollards

Designed to serve as a visual and audible warning to personnel. Unique spring-loaded design will bend and not break like rigid bollards. Prevents damage to bollard and equipment. Promotes long life. Order bollard with or without light/siren option. Light/siren option includes sensitive switches that will activate a strobe light and warning siren when contacted. Operates with two 9V batteries (not included). Simply slides into open top of bollard. Each bollard is manufactured from steel and includes a powder coat safety yellow finish. Bollards measure 42" high with a 2 1/2" O.D.



MODEL NUMBER	DESCRIPTION	NET WT. (POUNDS)	LIST PRICE EACH
SPBOL-42	SPRING BOLLARD	19	
SPBOL-42-BL	SPRING BOLLARD W/ BEEPER & STROBE	32	
SPBOL-ABK	CONCRETE ANCHOR BOLTS (4) 3/8" x 3"	2	

DC-20/UPS/FC-50+



model SPBOL-42-BL

Protective Dome Covers for Bollards

Prevent accidents and injuries from people tripping over raised bolts. Easy to use device slides over bollards covering mounting hardware and base plate for a nice clean finish. Durable yellow powder coat finish. Steel construction. No hardware required.



MODEL NUMBER	USE WITH	OUTSIDE DIAMETER	HEIGHT	NET WT. (POUNDS)	LIST PRICE EACH
DOME-4.5	4 1/2" DIAMETER BOLLARDS	14"	3"	8	
DOME-5.5	5 1/2" DIAMETER BOLLARDS	14"	3"	9	

DC-20/UPS/FC-50+



Plastic Hardware Caps for Bollards

Plastic hardware caps snap over the top of anchor bolts and washers to protect from weathering. Caps also provide for a cleaner look.

MODEL NUMBER	DESCRIPTION	QUANTITY PER PACKAGE	NET WT. (POUNDS)	LIST PRICE PER PKG.
BC-B-1.5	SNAPS OVER ANCHOR HARDWARE	4	1	

DC-20/UPS/FC-250



PROTECTIVE BARRIERS