





## Aluminum Hand Truck Dockplates

Designed for use with two wheel hand trucks. A convenient, safe and easy way to access loading docks from trucks. Lightweight and easily transported by just one person. Treadplate surface ensures skid-resistant safe traction. Locking legs secure the plate for safe loading and unloading. Complete with bolt-on zinc plated carrying handles and locking legs.



DESIGNED FOR USE WITH TWO WHEEL HAND TRUCKS (not included)

WIDTH	LENGTH	HEIGHT DIFF.	1/4" PLATE THICKNESS				5/16" PLATE THICKNESS			
			MODEL NUMBER	NET WT. (LBS.)	CAPACITY (LBS.)	LIST PRICE EACH	MODEL NUMBER	NET WT. (LBS.)	CAPACITY (LBS.)	LIST PRICE EACH
30"	24"	3"	A-3024	35	500	\$139.00	AH-3024	50	700	\$161.00
30"	30"	4"	A-3030	40	500	153.00	AH-3030	58	700	184.00
30"	36"	5"	A-3036	46	500	176.00	AH-3036	68	700	208.00
30"	48"	7"	A-3048	55	500	218.00	AH-3048	85	700	261.00
36"	24"	3"	A-3624	39	500	\$153.00	AH-3624	56	700	\$178.00
36"	30"	4"	A-3630	46	500	176.00	AH-3630	68	700	208.00
36"	36"	5"	A-3636	52	500	202.00	AH-3636	78	700	240.00
36"	48"	7"	A-3648	63	500	247.00	AH-3648	98	700	301.00

DC-30/UPS/FC-100


## Aluminum Economizer Dockplates

Economical way to speed up truck loading and unloading. Spans the opening between dock and trailer to allow pallet or hand trucks along with traffic to safely move in and out of the trailer. Constructed of high strength, lightweight aluminum alloy non-skid treadplate with bolt-on zinc plated legs and handles. Handles are located on each side for portability. Locking legs for OSHA Compliance. The bend or crown is 11° and located 9" from edge of dockplate. Not for use with fork trucks.

48 Hours to Ship



DVD or VIDEO AVAILABLE



WIDTH	LENGTH	HEIGHT DIFF.	3/8" PLATE THICKNESS				1/2" PLATE THICKNESS					
			MODEL NUMBER	SHIPS VIA	NET WT. (LBS.)	CAPACITY (LBS.)	LIST PRICE EACH	MODEL NUMBER	SHIPS VIA	NET WT. (LBS.)	CAPACITY (LBS.)	LIST PRICE EACH
30"	24"	3"	E-3024	UPS	45	3,000	\$218.00	EH-3024	UPS	53	5,200	\$264.00
30"	30"	4"	E-3030	UPS	48	2,300	255.00	EH-3030	UPS	63	4,100	309.00
30"	36"	5"	E-3036	UPS	56	1,800	292.00	EH-3036	UPS	74	3,500	360.00
30"	48"	7"	E-3048	UPS	72	1,400	361.00	EH-3048	UPS	95	2,600	470.00
36"	24"	3"	E-3624	UPS	43	3,600	\$246.00	EH-3624	UPS	62	6,200	\$309.00
36"	30"	4"	E-3630	UPS	56	3,000	291.00	EH-3630	UPS	74	5,100	367.00
36"	36"	5"	E-3636	UPS	66	2,500	334.00	EH-3636	UPS	87	4,300	419.00
36"	48"	7"	E-3648	UPS	83	1,900	421.00	EH-3648	UPS	111	3,000	535.00
42"	24"	3"	E-4224	UPS	53	4,300	\$281.00	EH-4224	UPS	70	7,200	\$352.00
42"	30"	4"	E-4230	UPS	63	3,300	317.00	EH-4230	UPS	84	5,900	416.00
42"	48"	7"	E-4248	LTL	75	2,100	491.00	EH-4248	LTL	99	3,500	616.00
48"	24"	3"	E-4824	UPS	59	5,200	\$300.00	EH-4824	UPS	78	8,200	\$378.00
48"	30"	4"	E-4830	UPS	70	4,100	362.00	EH-4830	UPS	93	6,300	462.00
48"	36"	5"	E-4836	UPS	83	3,500	419.00	EH-4836	UPS	111	5,300	534.00
48"	42"	6"	E-4842	LTL	94	3,000	486.00	EH-4842	LTL	127	4,300	618.00
48"	48"	7"	E-4848	LTL	104	2,600	541.00	EH-4848	LTL	142	3,800	699.00
48"	54"	8"	E-4854	LTL	117	2,200	613.00	EH-4854	LTL	160	3,300	774.00
48"	60"	9"	E-4860	LTL	128	1,800	665.00	EH-4860	LTL	175	2,900	859.00
60"	24"	3"	E-6024	UPS	70	5,700	\$361.00	EH-6024	UPS	93	10,000	\$442.00
60"	30"	4"	E-6030	UPS	83	4,600	439.00	EH-6030	UPS	113	7,800	564.00
60"	36"	5"	E-6036	LTL	99	4,100	511.00	EH-6036	LTL	134	6,600	650.00
60"	42"	6"	E-6042	LTL	113	3,500	591.00	EH-6042	LTL	154	5,500	756.00
60"	48"	7"	E-6048	LTL	126	2,900	660.00	EH-6048	LTL	173	4,800	847.00
60"	54"	8"	E-6054	LTL	142	2,400	733.00	EH-6054	LTL	195	4,100	947.00
60"	60"	9"	E-6060	LTL	155	2,000	809.00	EH-6060	LTL	214	3,700	1,042.00
72"	24"	3"	E-7224	UPS	81	6,500	\$428.00	EH-7224	UPS	109	11,900	\$539.00
72"	30"	4"	E-7230	LTL	97	5,400	514.00	EH-7230	LTL	132	9,500	652.00
72"	36"	5"	E-7236	LTL	115	4,300	600.00	EH-7236	LTL	158	7,800	762.00
72"	48"	7"	E-7248	LTL	148	3,400	779.00	EH-7248	LTL	205	5,900	998.00

DC-30/UPS/FC-100


LOADING DOCK EQUIPMENT

ALUMINUM ECONOMIZER DOCKPLATE OPTIONS					
MODEL NUMBER	DESCRIPTION	LIST PRICE EACH	MODEL NUMBER	DESCRIPTION	LIST PRICE EACH
OHDL	No Handles	\$12.00	SLL	Special Location of Legs	\$20.00 (pr.)
1HDL	One Handle	\$6.00	ATC	Anti-theft Chain	\$2.00 (ft.)
SDP	Smooth Deck Plate (Checker Side Down)	No Charge	LHDL	Extra Pair of Legs with Handles & Hardware	\$30.00 (pr.)
SB	Special Bend or Location of Bend	\$32.00	TRADE	Trade in Allowance (F.O.B. Angola)	\$0.20 (lb.)

# Aluminum Truck Dockboards with Welded Aluminum Curbs

- Beveled Edges for Smooth Entry & Exit
- Designed for Low/Medium Traffic Applications

Engineered and built to maximize safety while handling heavy fork trucks and loads. Locking legs prevent movement during loading and unloading operations. Welded aluminum safety curbs prevent accidental runoffs and provide visible driving lane. Locking legs are uneven to allow the dockboard to sit canted, while not in use, for easier pickup by fork trucks. Bend is 11° and 9° from the edge and the legs are 12" from the edge. Manufactured in compliance with OSHA.



**A. CAPACITY** is based upon the heaviest type of equipment used plus the maximum load carried times the single axle rating of total load. Dynamic loading, driver tendencies, speed and frequency of use must be considered. Steel (TS-series) dockboards recommended for high use docks.

EQUIPMENT	SINGLE AXLE RATING OF TOTAL LOAD
TWO-WHEEL HAND TRUCKS	100%
FOUR-WHEEL PLATFORM TRUCK - (NON-TILT)	50%
PALLET TRUCKS - HAND	75%
PALLET TRUCKS - ELECTRIC	66%
PLATFORM (SKID) TRUCKS - HAND - WALKIE	75%
PLATFORM (SKID) TRUCKS - ELECTRIC - WALKIE	66%
FORK TRUCKS - ELECTRIC WALKIE	90%
FORK TRUCKS - ELECTRIC RIDER	90%
FORK TRUCKS - GAS RIDER	90%

**B.** Width of Dockboard should be at least 15" wider than the load or equipment passing between the curbs. If the load does not pass between curbs but is elevated above, add 15" to the overall width of equipment. (Good rule of thumb is to subtract 5-6" from dockboard width to achieve actual usable width)

**C.** Use this guide for truck floor heights to determine the Height Differential from the truck bed to dock. (Numbers listed reference an empty truck.)

REFRIGERATED	54" to 61"
HEAVY TRAILERS	51" to 56"
HEAVY SEMI-TRAILERS	48" to 54"
LIGHT SEMI-TRAILERS	45" to 49"
LARGE SINGLE BED	42" to 50"
SMALL SINGLE BED	30"

**D.** Use first & second column of chart below to determine length of board. **Rise/Run (x 100) = % of Grade.**

LOADING DOCK EQUIPMENT

CAPACITY			5,000 LBS.			6,000 LBS.			8,000 LBS.			10,000 LBS.			
Size Width-Length Inches	Ht. Difference 8 7/16" Inches	Ht. Difference 11 7/16" Inches	Model Number	Net Wt. (lbs.)	List Price Each	Model Number	Net Wt. (lbs.)	List Price Each	Model Number	Net Wt. (lbs.)	List Price Each	Model Number	Net Wt. (lbs.)	List Price Each	
															54
	48	5 1/2	7	BTA-05005448	155	786.00	BTA-06005448	166	797.00	BTA-08005448	170	819.00			
	60	7	10	BTA-05005460	197	990.00	BTA-06005460	203	1,005.00	BTA-08005460	226	1,033.00			
	30	3	4	BTA-05006030	106	\$542.00	BTA-06006030	124	\$632.00	BTA-08006030	124	\$632.00	BTA-10006030	134	\$671.00
	36	4	5	BTA-05006036	124	633.00	BTA-06006036	134	676.00	BTA-08006036	145	729.00	BTA-10006036	156	773.00
	42	5	6	BTA-05006042	160	787.00	BTA-06006042	160	787.00	BTA-08006042	170	845.00	BTA-10006042	180	894.00
	48	5 1/2	7	BTA-05006048	180	901.00	BTA-06006048	186	907.00	BTA-08006048	197	988.00	BTA-10006048	216	1,051.00
	54	6	8 1/2	BTA-05006054	200	976.00	BTA-06006054	206	1,006.00	BTA-08006054	222	1,101.00	BTA-10006054	239	1,212.00
	60	7	10	BTA-05006060	212	1,079.00	BTA-06006060	232	1,129.00	BTA-08006060	247	1,267.00	BTA-10006060	269	1,346.00
	66	8	11	BTA-05006066	222	1,176.00	BTA-06006066	238	1,195.00	BTA-08006066	270	1,354.00	BTA-10006066	286	1,434.00
	72	8 1/2	12	BTA-05006072	252	1,258.00	BTA-06006072	264	1,346.00	BTA-08006072	292	1,442.00	BTA-10006072	311	1,530.00
	78	9	13	BTA-05006078	271	1,321.00	BTA-06006078	279	1,372.00	BTA-08006078	323	1,563.00	BTA-10006078	335	1,629.00
	84	10	14	BTA-05006084	292	1,403.00	BTA-06006084	309	1,485.00	BTA-08006084	332	1,594.00	BTA-10006084	369	1,794.00
	36	4	5	BTA-05006636	162	\$713.00	BTA-06006636	150	\$752.00	BTA-08006636	162	\$810.00	BTA-10006636	180	\$887.00
	48	5 1/2	7	BTA-05006648	204	951.00	BTA-06006648	208	1,010.00	BTA-08006648	214	1,053.00	BTA-10006648	230	1,120.00
	60	7	10	BTA-05006660	254	1,197.00	BTA-06006660	242	1,224.00	BTA-08006660	269	1,347.00	BTA-10006660	284	1,420.00
	30	3	4	BTA-05007230	139	\$695.00	BTA-06007230	139	\$695.00	BTA-08007230	145	\$726.00	BTA-10007230	158	\$770.00
	36	4	5	BTA-05007236	162	789.00	BTA-06007236	162	789.00	BTA-08007236	175	853.00	BTA-10007236	202	956.00
	48	5 1/2	7	BTA-05007248	204	979.00	BTA-06007248	217	1,043.00	BTA-08007248	238	1,177.00	BTA-10007248	245	1,211.00
	60	7	10	BTA-05007260	254	1,256.00	BTA-06007260	254	1,256.00	BTA-08007260	290	1,410.00	BTA-10007260	297	1,444.00
	36	4	5	BTA-05007836	151	\$875.00	BTA-06007836	188	\$916.00	BTA-08007836	188	\$916.00	BTA-10007836	216	\$1,023.00
	48	5 1/2	7	BTA-05007848	233	1,064.00	BTA-06007848	239	1,133.00	BTA-08007848	255	1,154.00	BTA-10007848	262	1,301.00
	60	7	10	BTA-05007860	273	1,346.00	BTA-06007860	278	1,372.00	BTA-08007860	312	1,518.00	BTA-10007860	319	1,552.00
	36	4	5	BTA-05008436	193	\$930.00	BTA-06008436	193	\$930.00	BTA-08008436	200	\$962.00	BTA-10008436	232	\$1,100.00
	48	5 1/2	7	BTA-05008448	242	1,192.00	BTA-06008448	242	1,192.00	BTA-08008448	273	1,345.00	BTA-10008448	281	1,386.00
	60	7	10	BTA-05008460	288	1,401.00	BTA-06008460	288	1,401.00	BTA-08008460	332	1,619.00	BTA-10008460	340	1,657.00
CAPACITY			12,000 LBS.			15,000 LBS.			20,000 LBS.						
Size Width-Length Inches	Ht. Difference 11 1/16" Inches	Ht. Difference 11 7/16" Inches	Model Number	Net Wt. (lbs.)	List Price Each	Model Number	Net Wt. (lbs.)	List Price Each	Model Number	Net Wt. (lbs.)	List Price Each				
												Model Number	Net Wt. (lbs.)	List Price Each	
60	30	3	4	BTA-12006030	106	\$694.00	BTA-15006030	124	\$823.00	BTA-20006030	124	\$823.00			
	36	4	5	BTA-12006036	124	816.00	BTA-15006036	134	907.00	BTA-20006036	145	984.00			
	48	5 1/2	7	BTA-12006048	180	1,071.00	BTA-15006048	186	1,195.00	BTA-20006048	197	1,320.00			
	54	6	8-1/2	BTA-12006054	200	1,232.00	BTA-15006054	206	1,306.00	BTA-20006054	222	1,504.00			
	60	7	10	BTA-12006060	212	1,372.00	BTA-15006060	232	1,428.00	BTA-20006060	247	1,640.00			
	72	8 1/2	12	BTA-12006072	252	1,552.00	BTA-15006072	264	1,734.00	BTA-20006072	292	1,931.00			
	84	10	14	BTA-12006084	292	1,851.00									
66	36	4	5	BTA-12006636	162	\$948.00	BTA-15006636	150	\$979.00	BTA-20006636	162	\$1,141.00			
	48	5 1/2	7	BTA-12006648	204	1,168.00	BTA-15006648	208	1,291.00	BTA-20006648	214	1,433.00			
	60	7	10	BTA-12006660	254	1,545.00	BTA-15006660	242	1,585.00	BTA-20006660	269	1,776.00			
72	30	3	4	BTA-12007230	139	\$835.00	BTA-15007230	139	\$880.00	BTA-20007230	145	\$956.00			
	36	4	5	BTA-12007236	162	962.00	BTA-15007236	162	1,085.00	BTA-20007236	175	1,218.00			
	48	5 1/2	7	BTA-12007248	204	1,333.00	BTA-15007248	217	1,410.00	BTA-20007248	238	1,528.00			
	60	7	10	BTA-12007260	254	1,638.00	BTA-15007260	254	1,686.00	BTA-20007260	290	1,901.00			
	72	8 1/2	12												
78	36	4	5	BTA-12007836	151	\$1,023.00	BTA-15007836	188	\$1,171.00	BTA-20007836	188	\$1,300.00			
	48	5 1/2	7	BTA-12007848	233	1,403.00	BTA-15007848	239	1,511.00	BTA-20007848	255	1,635.00			
	60	7	10	BTA-12007860	273	1,753.00	BTA-15007860	278	1,805.00	BTA-20007860	312	2,009.00			
	72	8 1/2	12												
84	36	4	5	BTA-12008436	193	\$1,100.00	BTA-15008436	193	\$1,249.00	BTA-20008436	200	\$1,393.00			
	48	5 1/2	7	BTA-12008448	242	1,500.00	BTA-15008448	242	1,621.00	BTA-20008448	273	1,751.00			
	60	7	10	BTA-12008460	288	1,873.00	BTA-15008460	288	1,928.00	BTA-20008460	332	2,142.00			
	72	8 1/2	12												



DVD or VIDEO AVAILABLE


48 Hours to Ship

→ GAS RIDER TRUCK → ELECTRIC RIDER TRUCK

DC-25/FC-100

## Aluminum Truck Dockboards with Steel Safety Curbs

- Beveled Edges for Smooth Entry & Exit
- Treadplate Design Ensures Positive Traction
- Bend is 11° and 9" from Beveled Edge
- Legs are 12" from Beveled Edge



DVD or VIDEO AVAILABLE


This dockboard is designed for portability and safety. Deck is made of tough high strength aluminum treadplate. Safety curbs are coated yellow and are constructed of steel with cast tapered ends. Steel legs are bolted for increased durability. Canted locking legs for easier fork truck portability. Manufactured in compliance with OSHA.

CAPACITY			10,000 LBS.			15,000 LBS.			20,000 LBS.		
Size (Inches) Width x Length	Ht. Difference 11° / 19% Inches	MODEL NUMBER	NET WT. (LBS.)	LIST PRICE EACH	MODEL NUMBER	NET WT. (LBS.)	LIST PRICE EACH	MODEL NUMBER	NET WT. (LBS.)	LIST PRICE EACH	
60 36	5	TAS-10-6036	103	\$611.00	TAS-15-6036	121	\$662.00	TAS-20-6036	125	\$717.00	
60 48	7	TAS-10-6048	145	774.00	TAS-15-6048	161	964.00	TAS-20-6048	178	979.00	
60 60	10	TAS-10-6060	169	957.00	TAS-15-6060	219	1,179.00	TAS-20-6060	250	1,426.00	
60 72	12	TAS-10-6072	227	1,164.00	TAS-15-6072	300	1,425.00	TAS-20-6072	324	1,697.00	
72 36	5	TAS-10-7236	127	\$690.00	TAS-15-7236	137	\$749.00	TAS-20-7236	147	\$805.00	
72 48	7	TAS-10-7248	175	892.00	TAS-15-7248	195	1,033.00	TAS-20-7248	210	1,118.00	
72 60	10	TAS-10-7260	230	1,092.00	TAS-15-7260	260	1,341.00	TAS-20-7260	301	1,626.00	

DC-30/FC-100

LOADING DOCK EQUIPMENT

## Dockboards Accessories



LEVERLIFT  
model ALL



LIFTING CHAINS  
series LC



SLIDING SPAN LOCKS  
model SSL



WHEEL & HANDLE KIT  
model WHHDL

ALUMINUM DOCKBOARD ACCESSORIES					
MODEL NUMBER	DESCRIPTION	LIST PRICE EACH	MODEL NUMBER	DESCRIPTION	LIST PRICE EACH
LC 48-66	Lifting Chains 48"W - 66"W	\$58.00 / Pair	HOLE	Extra Span Holes	\$5.00 / Hole
LC 72-84	Lifting Chains 72"W - 84"W	65.00 / Pair	PIN	Extra Span Pins	5.00 / Each
SSL	Sliding Span Locks (BTA only)	60.00 / Pair	ALL	Leverlift	61.00
WH	Dockboard Wheels Kit (125 lb. capacity)	39.00 / Pair	CED	Canted Edge	12.00
HDL	Dockboard Handle Kit	16.00 / Pair	RPL	Removable Pickup Loops (TS series only)	71.50
WHHDL	Wheels & Handle Kit (125 lb. capacity)	72.00 / Set	ATC	Anti-Theft Chain	2.00 / Foot
SP	Span Pins & Holes (4 holes per side)	72.00 / Board	SB	Second Bend	32.00

DC-25

## Steel Truck Dockboards



- Bend is 11° and 9" from Beveled Edge / Legs are 12" from Edge
- Treadplate Design Ensures Positive Traction
- Designed for Medium/High Traffic Applications




Constructed of high strength (55,000 psi) steel for long life. Beveled edges on both ends permit smooth entry and exit. Deck is diamond plated for safe, efficient use. Welded safety curbs for maximum strength. Locking legs minimize ramp movement and are uneven to allow the dockboard to sit canted for easier floor pickup by fork trucks. Standard with leverlift for quick portability with fork truck. Optional accessories: lifting chains, span locks, span pins/holes and removable pickup loops. Manufactured in compliance with OSHA.

LOADING DOCK EQUIPMENT

CAPACITY			10,000 LBS.			15,000 LBS.			20,000 LBS.		
Size (Inches) Width x Length	Ht. Difference 11° / 19% Inches		MODEL NUMBER	NET WT. (LBS.)	LIST PRICE EACH	MODEL NUMBER	NET WT. (LBS.)	LIST PRICE EACH	MODEL NUMBER	NET WT. (LBS.)	LIST PRICE EACH
60 36	5		TS-10-6036	261	\$506.00	TS-15-6036	326	\$586.00	TS-20-6036	333	\$599.00
60 48	7		TS-10-6048	368	653.00	TS-15-6048	426	764.00	TS-20-6048	435	781.00
60 60	10		TS-10-6060	525	943.00	TS-15-6060	537	963.00	TS-20-6060	695	1,303.00
60 72	12		TS-10-6072	597	1,118.00	TS-15-6072	635	1,191.00	TS-20-6072	791	1,552.00
66 36	5		TS-10-6636	318	\$548.00	TS-15-6636	353	\$634.00	TS-20-6636	359	\$646.00
66 48	7		TS-10-6648	396	712.00	TS-15-6648	461	828.00	TS-20-6648	470	843.00
66 72	12		TS-10-6672	647	1,214.00	TS-15-6672	686	1,285.00	TS-20-6672	855	1,676.00
72 36	5		TS-10-7236	326	\$586.00	TS-15-7236	347	\$680.00	TS-20-7236	417	\$786.00
72 48	7		TS-10-7248	426	764.00	TS-15-7248	496	890.00	TS-20-7248	551	1,033.00
72 54	8-1/2		TS-10-7254	556	996.00	TS-15-7254	575	998.00	TS-20-7254	654	1,224.00
72 60	10		TS-10-7260	678	1,105.00	TS-15-7260	698	1,125.00	TS-20-7260	723	1,355.00
72 72	12		TS-10-7272	721	1,310.00	TS-15-7272	742	1,381.00	TS-20-7272	919	1,802.00
84 36	5		TS-10-8436	432	\$775.00	TS-15-8436	452	\$811.00	TS-20-8436	563	\$1,054.00
84 48	7		TS-10-8448	567	1,017.00	TS-15-8448	567	1,063.00	TS-20-8448	741	1,388.00
84 60	10		TS-10-8460	671	1,257.00	TS-15-8460	702	1,316.00	TS-20-8460	878	1,720.00
Size (Inches) Width x Length	Ht. Difference 11° / 19% Inches		25,000 LBS.			30,000 LBS.					
60 36	5		TS-25-6036	447	\$802.00	TS-30-6036	467	\$803.00	<ul style="list-style-type: none"> <li>• Standard with Leverlift</li> <li>• Add \$30.00 for Chain Pickup and Use Suffix (-C) (no leverlift)</li> <li>• Add \$152.00 for Span Locks and Use Suffix (-SL)</li> <li>• Call Us for Special Sizes and Configurations.</li> </ul>		
60 48	7		TS-25-6048	562	1,053.00	TS-30-6048	582	1,054.00			
60 60	10		TS-25-6060	695	1,303.00	TS-30-6060	798	1,563.00			
60 72	12		TS-25-6072	791	1,552.00	TS-30-6072	952	1,867.00			
66 36	5		TS-25-6636	483	\$867.00	TS-30-6636	554	\$1,038.00			
66 48	7		TS-25-6648	607	1,136.00	TS-30-6648	730	1,368.00			
66 72	12		TS-25-6672	855	1,676.00	TS-30-6672	1032	2,022.00			
72 36	5		TS-25-7236	518	\$928.00	TS-30-7236	596	\$1,116.00			
72 48	7		TS-25-7248	651	1,221.00	TS-30-7248	786	1,473.00			
72 54	8-1/2		TS-25-7254	729	1,367.00	TS-30-7254	841	1,649.00			
72 60	10		TS-25-7260	807	1,513.00	TS-30-7260	931	1,825.00			
72 72	12		TS-25-7272	919	1,802.00	TS-30-7272	1111	2,179.00			
84 36	5		TS-25-8436	563	\$1,054.00	TS-30-8436	681	\$1,275.00			
84 48	7		TS-25-8448	741	1,388.00	TS-30-8448	858	1,681.00			
84 60	10		TS-25-8460	878	1,720.00	TS-30-8460	1065	2,087.00			

DC-25/FC-60



## Steel Truck Dockplates


Constructed of high strength INX-55 (55,000 psi) steel. Safety locking legs prevent slippage between truck and dock. Raised pattern safety treadplate helps provide positive traction. Beveled edges for smooth entry and exit. Chain pickup comes standard on all units. Designed with an 11° bend located 9" from the beveled edge. The legs are 12" from the beveled edge. Manufactured in compliance with OSHA.

			3/8" PLATE THICKNESS				1/2" PLATE THICKNESS			
OVERALL WIDTH	OVERALL LENGTH	HEIGHT DIFF.	MODEL NUMBER	CAPACITY (LBS.)	NET WT. (LBS.)	LIST PRICE EACH	MODEL NUMBER	CAPACITY (LBS.)	NET WT. (LBS.)	LIST PRICE EACH
48"	30"	4"	SE-4830	5,000	221	\$281.00	SEH-4830	8,800	282	\$372.00
48"	36"	5"	SE-4836	4,125	250	330.00	SEH-4836	7,300	330	437.00
48"	48"	7"	SE-4848	3,090	324	430.00	SEH-4848	5,500	429	569.00
48"	60"	9"	SE-4860	2,475	399	528.00	SEH-4860	4,400	528	700.00
54"	30"	4"	SE-5430	5,500	235	\$310.00	SEH-5430	9,900	314	\$417.00
54"	36"	5"	SE-5436	4,600	277	357.00	SEH-5436	8,250	371	492.00
54"	48"	7"	SE-5448	3,450	361	478.00	SEH-5448	6,185	486	645.00
54"	60"	9"	SE-5460	2,760	444	589.00	SEH-5460	4,950	575	795.00
60"	36"	5"	SE-6036	5,150	306	\$406.00	SEH-6036	9,160	404	\$534.00
60"	48"	7"	SE-6048	3,860	400	529.00	SEH-6048	6,875	526	696.00
60"	60"	9"	SE-6060	3,090	498	655.00	SEH-6060	5,500	619	856.00

DC-25/FC-60

## Aluminum Hand Truck Dockboards

These dockboards are lightweight and can be carried and positioned by one person. Provides a safe and convenient bridge between dock and truck. Welded aluminum diamond tread surface and beveled edges provide safe and smooth entry and exit. The bend is designed to keep ramp edges flush with dock surface and truck floor. Equipped with bolted locking legs. Full length aluminum curbs provide hand holds and reduce chance of roll off. 800 pound capacity. Designed for use with two wheel hand trucks. 3/16" plate thickness. Manufactured in compliance with OSHA.




series AHTD



DVD or VIDEO AVAILABLE

DESIGNED FOR USE WITH TWO WHEEL HAND TRUCKS (not included)



MODEL NUMBER	OVERALL WIDTH	OVERALL LENGTH	HEIGHT DIFFERENTIAL	NET WT. (POUNDS)	LIST PRICE EACH
AHTD-3036	30"	36"	5"	38/UPS	\$310.00
AHTD-3048	30"	48"	7"	50/UPS	406.00
AHTD-3648	36"	36"	7"	59	\$458.00
AHTD-3660	36"	60"	10"	72	556.00
AHTD-3672	36"	72"	13"	86	650.00

DC-25/UPS/FC-100

## Aluminum Mini Dockplates

• Designed For Use With Two Wheel Hand Trucks

Scale 3" to 6" curbs and high door thresholds using these durable Aluminum Mini Dockplates. Ideal for use with hand trucks for deliveries. Aluminum construction is lightweight yet durable, 1/8" thick plate. Features carrying handles and diamond treadplate surface for better traction.



series AMD



DVD or VIDEO AVAILABLE




MODEL NUMBER	OVERALL WIDTH	OVERALL LENGTH	CAPACITY (POUNDS)	NET WT. (POUNDS)	LIST PRICE EACH
AMD-2418	24"	18"	500	10	\$116.00
AMD-3018	30"	18"	600	12	129.00
AMD-3618	36"	18"	700	14	161.00

DC-25/UPS/FC-100

## Aluminum Pick-Up/Van Ramp

Lightweight aluminum ramp works great for large and small wheeled equipment. When using with small wheeled equipment add 1/4" plywood (not included) to ramp surface. Folds up to 16 1/2" wide for storing between ATV wheels in truck. Includes adjustable safety straps to hook ramp safely to trailer. Height unfolded is 1 1/2". Folded height is 5/2".



MODEL NUMBER	LENGTH	FOLDED WIDTH	UNFOLDED WIDTH	GROSS CAPACITY	SINGLE WHEEL CAPACITY	NET WT. (POUNDS)	LIST PRICE EACH
RAMP-5077	78"	16 1/2"	50"	1,500 lbs.	250 lbs.	40	\$194.00

DC-25/UPS/FC-100

## Steel Pick-Up/Van Ramps

These economical serrated ramps provide minimum slippage. Overlapping lip provides smooth transition into cargo area. Single piece construction with bolt-on lip.



MODEL NUMBER	LENGTH	WIDTH PER RAMP	GROSS CAPACITY	SINGLE WHEEL CAPACITY	NET WT. (POUNDS)	LIST PRICE PER PAIR
RAMP-72	72"	9"	500 lbs.	300 lbs.	50/pr.	\$72.00
RAMP-96	96"	9"	500 lbs.	300 lbs.	60/pr.	88.00

DC-25/UPS/FC-60

## Suitcase Ramp



Meet ADA requirements with these handy lightweight compact ramps. Assembly required. Single fold ramp measures 14"W x 72"L x 3"H when folded. It has a 1/4" curb and 2 1/2" lip. The ramp is serrated and has debris slots.



SINGLE FOLD model RAMP-SF

MODEL NUMBER	UNFOLDED (W x L x H)	FOLDED (W x L x H)	CAPACITY (POUNDS)	NET WT. (POUNDS)	LIST PRICE EACH
RAMP-SF	28" x 72" x 1 1/2"	14" x 72" x 3"	500	33	\$217.00

DC-25/UPS/FC-100