



Low Profile Design with
1-7/8" Lowered Height

48 Hours
to Ship



DVD or VIDEO
AVAILABLE

SCALE HEAD
SHOWN WITH PRINTER
model PM-2748-SCL-LP-PT

Low Profile Pallet Trucks

The Low Profile Pallet Truck can enter a pallet from all four sides. All steel frame is reinforced to handle 4,000 lb. capacity loads. Individual fork width is 6¾" wide. Wide loop control handle with lift, neutral, and lower functions provides fingertip control. Lifetime lubricated bearings. Hydraulic system has hard chrome plated pump piston with polyurethane seals. Suspension system has heavy-duty thrust bearing. Complete with adjustable push rods, polyurethane wheels, steel load rollers, and red powder coat finish.

| MODEL NUMBER | CAPACITY (POUNDS) | OVERALL FORK DIMENSIONS | FORK SERVICE RANGE | NET WT. (POUNDS) | LIST PRICE EACH | LOTS OF 6 PRICE EACH † |
|----------------------------|-------------------|-------------------------|--------------------|------------------|-----------------|------------------------|
| PM4-2048-LP [Ⓢ] * | 4,000 | 20-5/8"W x 48"L | 1-7/8" to 6" | 228 | \$348.00 | \$310.00 |
| PM4-2748-LP [Ⓢ] | 4,000 | 27"W x 48"L | 1-7/8" to 6" | 270 | 348.00 | 310.00 |
| PM4-3348-LP [Ⓢ] | 4,000 | 33"W x 48"L | 1-7/8" to 6" | 300 | 348.00 | 310.00 |

†SHIPPED CRATED WITHOUT HANDLE ATTACHED

DC-25/FC-70/92.5/175 ♦

*MODEL PM4-2048-LP HAS A TRIANGULAR APRON

Pallet Trucks with Digital Scale

The Pallet Truck with Digital Scale allows you to weigh your load on the spot for maximum efficiency. The frame uses heavy-duty steel construction for maximum strength and durability. This model is very user friendly and is suitable for low height lifting. The built-in scale allows you to weigh your load as you are handling it. The scale is selectable in a variety of increments to adjust to the size of your load. It has keyboard calibration and functional setup with automatic zero capabilities. Digital filtering is used to help compensate for vibration and motion to make the Pallet Truck with Digital Scale smooth and accurate. Forks are 7" wide each. Factory calibrated for shipping destination. Scale is powered with (6) D size batteries, AC adapter can be hooked up (not included).

| MODEL NUMBER | CAPACITY (POUNDS) | OVERALL FORK DIMENSIONS | FORK SERVICE RANGE | NET WT. (POUNDS) | LIST PRICE EACH |
|--------------------|-------------------|-------------------------|--------------------|------------------|-------------------|
| PM-2048-SCL-LP | 5,000 | 22-3/8"W x 48"L | 3" to 7½" | 338 | \$1,490.00 |
| PM-2748-SCL-LP | 5,000 | 27-1/2"W x 48"L | 3" to 7½" | 371 | 1,490.00 |
| PM-2048-SCL-LP-PT* | 5,000 | 22-3/8"W x 48"L | 3" to 7½" | 343 | \$1,812.00 |
| PM-2748-SCL-LP-PT* | 5,000 | 27-1/2"W x 48"L | 3" to 7½" | 378 | 1,812.00 |

* PALLET TRUCK WITH SCALE AND PRINTER

DC-25/FC-70/175 ♦



Ergonomic Power Assist Pallet Truck

Anyone who has operated a fully loaded pallet truck knows the most strenuous part is starting the wheels rolling. This Pallet Truck solves this back breaking problem. Pumping the handle of the pallet truck serves two purposes. First, it serves the traditional purpose of lifting the forks. Second, switch to the power drive accumulator and by pulling the handle back, the pallet truck begins to roll automatically, thus reducing the pulling force.

| MODEL NUMBER | CAPACITY (POUNDS) | OVERALL FORK DIMENSIONS | FORK SERVICE RANGE | NET WT. (POUNDS) | LIST PRICE EACH |
|---------------|-------------------|-------------------------|--------------------|------------------|-----------------|
| PM5-2748-PA-Y | 5,000 | 27"W x 48"L | 3" to 7½" | 190 | TBD |

DC-25/FC-70/175 ♦

All Terrain Pallet Truck

- Inside Straddle is 50" / Outside Straddle is 64"
- Pneumatic Tires have Sealed Bearings for Outside Durability

This lightweight yet strong tubular frame design handles evenly distributed loads up to 2,000 lbs. (2,000 lbs. at 12" horizontal load center and 1,500 lbs. at 15" horizontal load center). Large wheels allow for movement over most surfaces. Use at construction sites, gravel pits, and nurseries. Features large 16" front pneumatic tires and 10" pneumatic steering wheels. Individual forks are 4"W x 2"H. Easy to operate with three position handle, UP, DOWN, and NEUTRAL. Optional Tow Bar package allows the All Terrain Pallet Truck to be towed by an ATV or small utility tractor. Designed for pulling in either loaded or unloaded position.


| MODEL NUMBER | *CAPACITY (POUNDS) | ADJUSTABLE FORK WIDTH | FORK LENGTH | SERVICE RANGE | OVERALL SIZE (W x L x H) | NET WT. (POUNDS) | LIST PRICE EACH |
|--------------|--------------------------|-----------------------|-------------|---------------|--------------------------|------------------|-----------------|
| ALL-T-2 | 2,000 | 9½" to 26" | 32" | 3' to 9' | 64" x 50" x 51" | 410 | \$629.00 |
| ALL-TTB | OPTIONAL TOW BAR PACKAGE | | | | | 62 | 155.00 |

*2,000 lbs. at 12" horizontal load center and 1,500 lbs. at 15" horizontal load center

DC-25/FC-70/175♦



ADJUSTABLE WIDTH FORKS



OPTIONAL TOW BAR PACKAGE

Gas Powered All Terrain Pallet Trucks

All terrain pallet truck with gas-powered traction drive system. Great for moving heavy loads over rough terrain. Powered by a Briggs & Stratton 6HP gas-powered engine for both the power traction drive and fork lift/lower. Handle with forward reverse speed control and dead man safety switch. Hydrostatic transmission with hand-operated forward and reverse selection. Powered fork raise and lower controlled with independent levers. Usable width between outriggers is 50". Pneumatic steer wheels are 13" diameter x 4" wide each. The drive wheels are 18" diameter x 8½" wide each (foam filled pneumatic wheels on ALL-T-4-GPT standard). Wheels include sealed bearings for outdoor use. Steering arc is 150°.

| MODEL NUMBER | *CAPACITY (POUNDS) | ADJUSTABLE FORK WIDTH | FORK (W x L) | SERVICE RANGE | OVERALL SIZE (W x L) | NET WT. (POUNDS) | LIST PRICE EACH |
|--------------|--------------------|-----------------------|--------------|---------------|----------------------|------------------|-----------------|
| ALL-T-2-GPT | 2,000 | 8" to 36" | 4" x 36" | 2-5/8" to 12" | 79" x 68" | 1200 | \$6,229.00 |
| ALL-T-4-GPT | 4,000 | 8" to 36" | 4" x 36" | 2-5/8" to 12" | 79" x 68" | 1200 | 6,796.00 |

*CAPACITY AT AN 18" LOAD CENTER

DC-25/FC-70/175♦



DVD or VIDEO AVAILABLE

Big Wheel Pallet Truck

- Steering Wheels are 8" x 2" Poly-on-Steel
- Load Rollers are 4" x 3½"
- Does Not Work with Standard Pallets

Use less pushing or pulling force when transporting large heavy loads across floors with the Big Wheel Pallet Truck. An alternative to fork trucks, this unit makes it easier to move loaded tubs weighing up to 4,500 pounds. The raised height of 16-1/8" and the lowered height 6-1/2" enables the pallet truck to service high bottom tubs. The Big Wheel Pallet Truck retains all of the quality workmanship of our other Pallet Master Pallet Trucks.

| MODEL NUMBER | DESCRIPTION | CAPACITY (POUNDS) | OVERALL FORK SIZE (W x L) | SERVICE RANGE | NET WT. (POUNDS) | LIST PRICE EACH |
|--------------|-------------|-------------------|---------------------------|-------------------|------------------|-----------------|
| BW-PJ | BIG WHEEL | 4,500 | 26-3/4" x 51-1/2" | 5-1/2" to 15-1/2" | 299 | \$590.00 |

DC-25/FC-70/92.5/175♦



Side Winder Pallet Truck

- Move Long Loads Down Narrow Aisles
- Moves FORWARD, BACKWARD, LEFT, and RIGHT
- Capacity is 3,000 pounds



Transport long loads down narrow aisles with this heavy-duty Sidewinder Pallet Truck. This versatile Pallet Truck retains all the quality workmanship of a standard pallet truck in addition to providing lateral movement. Simply place the forks into the pallet then elevate to approximately seven inches, rotate handle, and lock detent into place. The second set of rollers, right/left, are actuated. Now push the Side Winder perpendicular to the traditional direction.

| MODEL NUMBER | DESCRIPTION | CAPACITY (POUNDS) | OVERALL FORK SIZE (W x L) | SERVICE RANGE | NET WT. (POUNDS) | LIST PRICE EACH |
|--------------|-------------|-------------------|---------------------------|---------------|------------------|-----------------|
| SW-PJ | SIDE WINDER | 3,000 | 27" x 48" | 3-1/2" to 8" | 311 | \$412.00 |

DC-25/FC-70/92.5/175♦



DVD or VIDEO AVAILABLE





Fully Powered Electric Pallet Trucks

Fully powered pallet truck for easy and quick operation. Includes fingertip raise and lower buttons. Easy-to-operate throttle for forward and reverse direction. Throttle offers infinite forward and reverse speeds. Safety features include a horn and belly reverse button. Units run off 24V batteries with battery charger standard. The 3,000 pound capacity models use two 12V batteries with 70Ah rating. The 4,500 pound capacity models use four 12V batteries with 180Ah rating. Units will typically achieve a minimum of eight (8) hours of service on one full charge. The Non-Adjustable Pallet Jockey, model PJ-1005, will convert the EPT-2748-45 (only) into a Walkie Truck, see page 67.

| MODEL NUMBER | CAPACITY* (POUNDS) | FORK SIZE (W x L) | SERVICE RANGE | OVERALL SIZE (W x L x H) | NET WT. (LBS.) | LIST PRICE EACH |
|--------------|--------------------|-------------------|---------------|--------------------------|----------------|-----------------|
| EPT-2047-30 | 3,000 | 20" x 47" | 3.2" to 7.8" | 28" x 65" x 49" | 660 | \$2,938.00 |
| EPT-2547-30 | 3,000 | 25" x 47" | 3.2" to 7.8" | 28" x 65" x 49" | 671 | 2,728.00 |
| EPT-2048-45 | 4,500 | 20" x 48" | 3.4" to 8" | 30" x 78½" x 49" | 990 | \$4,982.00 |
| EPT-2748-45 | 4,500 | 27" x 48" | 3.4" to 8" | 30" x 78½" x 49" | 1012 | 4,667.00 |


*CONTINUOUS DUTY RATING / ADD 500 LBS. CAPACITY FOR INTERMITTENT DUTY RATING

DC-25/FC-70

Wheel Nose Pallet Trucks

- Take the Guess Work Out of Close Pallet Placement
- Optimize Floor and Truck Space with this Innovative Pallet Truck

The Wheel Nose Pallet Truck is designed to position pallets or skids closely together. The fork end is set back from the front rollers allowing for one pallet pick up at a time. The unit has a rubber grip handle with a three position lever for easy operation and maneuvering. This heavy-duty unit is rated at 5,000 pounds capacity and has a service range from 3½" to 8". Unit includes two articulating steering wheels and two front load rollers. Spring loaded loop handle automatically returns to vertical position when not in use. 38" forks are used for maneuvering in tight spaces.



| MODEL NUMBER | DESCRIPTION | CAPACITY (POUNDS) | OVERALL FORK SIZE (W x L) | SERVICE RANGE | NET WT. (POUNDS) | LIST PRICE EACH |
|--------------|-------------|-------------------|---------------------------|---------------|------------------|-----------------|
| PM5-2038-WN | WHEEL NOSE | 5,000 | 20" x 38" | 3½" to 8" | 260 | \$395.00 |
| PM5-2738-WN | WHEEL NOSE | 5,000 | 27" x 38" | 3½" to 8" | 280 | 395.00 |

DC-25/FC-70/92.5/175♦

Specialized Pallet Trucks (with nylon wheels)

- Pallet Trucks for Corrosive and Sanitary Environments

STAINLESS STEEL AND STAINLESS STEEL FRAME & FORKS

Ideal for sanitary, pharmaceutical, medical, food, and wet environments. Choose either type 304 stainless steel frame and forks only or 100% type 304 stainless steel pallet truck for long life in even the most harsh environments. 5,500 lbs. capacity.

GALVANIZED AND ZINC PLATED

Designed for corrosive or wet environments, these full-featured pallet trucks were designed for chemical, pharmaceutical and wash-down applications. 5,500 lbs. capacity.



| MODEL NUMBER | DESCRIPTION | OVERALL FORK DIMENSIONS | FORK SERVICE RANGE | NET WT. (LBS.) | LIST PRICE EACH |
|--------------|------------------|-------------------------|--------------------|----------------|-----------------|
| PM5-2048-SS | STAINLESS STEEL | 20"W x 48"L | 2-7/8" to 7-3/4" | 300 | \$1,690.00 |
| PM5-2748-SS | STAINLESS STEEL | 27"W x 48"L | 2-7/8" to 7-3/4" | 327 | 1,690.00 |
| PM5-2748-SFF | SS FRAME & FORKS | 27"W x 48"L | 2-7/8" to 7-3/4" | 327 | 928.00 |
| PM5-2748-S-G | GALVANIZED | 27"W x 48"L | 2-7/8" to 7-3/4" | 327 | 465.00 |
| PM5-2748-S-Z | ZINC COATED | 27"W x 48"L | 2-7/8" to 7-3/4" | 322 | 465.00 |

DC-25/FC-70/92.5/175♦

Skid Adapters for Pallet Trucks

Increase your pallet truck service by 3" to handle skids with the Skid Adapter. Adapts to model PM5- "Pallet Master Pallet Trucks" only with an overall fork width of either 20" or 27" and a minimum fork length of 48". Skid adapter may be rotated into vertical position for normal pallet truck use.

| MODEL NUMBER | DESCRIPTION | ACCOMMODATES FORK DIMENSIONS | INCREASED HEIGHT | NET WT. (POUNDS) | LIST PRICE EACH |
|--------------|---------------|------------------------------|------------------|------------------|-----------------|
| PM5-20SA | SKID ADAPTERS | 20"W x 48"L | 3" | 60 | \$125.00 |
| PM5-27SA | SKID ADAPTERS | 27"W x 48"L | 3" | 75 | 135.00 |

DC-25/FC-70/92.5/175♦