

## Full Featured Pallet Trucks

- Heavy-duty 5,500 lbs. Capacity • Powder Coat Finish • User friendly entry and exit rollers

An economical way for one person to move heavy pallet loads without the use of a fork truck! Includes two articulating steering wheels and two front load rollers. Ergonomic design requires only 75 pounds of pulling force when fully loaded. Steering wheels include bearing dust covers for added life. Nose wheels are located on the front edge of each fork to assist in clean pallet entrance and exit. Reinforced triple-formed steel forks provide twice the strength of standard single-formed forks. Forks are 6¾" wide each. Equipped with internally mounted solid steel adjustable push rods. Spring loaded handle automatically returns to vertical position when not in use. Hydraulic pump design facilitates easy-access seal replacement. Chrome-plated hydraulic pump piston for long seal life. Also available in various sizes, capacities, and configurations as noted.

MODEL NUMBER	CAPACITY (POUNDS)	OVERALL FORK DIMENSIONS	FORK SERVICE RANGE	NET WT. (LBS.)	LIST PRICE EACH	LOTS OF 6 PRICE EACH †
PM5-2748Ⓞ	5,500	27"W x 48"L	2-7/8" to 7-3/4"	280	\$325.00	
PM5-2048Ⓞ	5,500	20-5/8"W x 48"L	2-7/8" to 7-3/4"	225	325.00	
PM5-2036	5,500	20"W x 36"L	2-7/8" to 7-3/4"	200	395.00	
PM6-2748	6,000	27"W x 48"L	2-7/8" to 7-3/4"	330	\$445.00	
PM10-2245	10,000	22¾"W x 45¼"L	3-1/2" to 7-7/8"	423	1,395.00	
PM5-2748-N*	5,500	27"W x 48"L	2-7/8" to 7-3/4"	316	370.00	
PM5-2748-S**	5,500	27"W x 48"L	2-7/8" to 7-3/4"	325	375.00	
PM4-2772	4,400	27"W x 72"L	2-7/8" to 7-3/4"	401	567.00	
PM4-2796	4,000	27"W x 96"L	2-7/8" to 7-3/4"	400	585.00	

\*NYLON WHEELS / \*\*STEEL WHEELS (ALL OTHERS ARE POLY-ON-STEEL)

†SHIPPED CRATED WITHOUT HANDLE ATTACHED  
DC-25/FC-70/92.5/175♦

### OPTIONS FOR PM5-2748 ONLY (factory installed)

PM5-HB	HAND BRAKE (DEPRESS HAND BRAKE TO SLOW DOWN/STOP)	
PM5-DMHB	"DEAD MAN" HAND BRAKE (DEPRESS HAND BRAKE TO MOVE)	
PM5-FB	FOOT BRAKE KIT (WORKS WITH PM4 & PM5 UNITS)	

DC-25

## Standard Pallet Truck

- Economical • Powder Coat Finish • Quality Built • User Friendly • Low Maintenance

Proven ergonomic design has been time-tested for providing years of reliable service. An economical way for one person to move heavy pallet loads without the use of a fork truck. Ergonomic design requires only 75 pounds of pulling force when fully loaded. Spring loaded loop handle automatically returns to vertical position when not in use. Chrome-plated hydraulic pump piston for long seal life.

MODEL NUMBER	CAPACITY (POUNDS)	OVERALL FORK DIMENSIONS	FORK SERVICE RANGE	NET WT. (POUNDS)	LIST PRICE EACH	LOTS OF 6 PRICE EACH †
PM5-2748-Y	5,500	27"W x 48"L	2-7/8" to 7-3/4"	300	\$325.00	

†SHIPPED CRATED WITHOUT HANDLE ATTACHED

DC-25/FC-70/92.5/175♦

## Pallet Truck Caddy **New**

This economical product will convert a standard pallet truck into a portable workstation in minutes. It has been designed with user efficiency and convenience in mind. Easily attaches to virtually any type of pallet truck with hardware included. Manufactured from durable molded yellow plastic for an attractive look. Features beverage holder, tool pockets, pen and pencil tray, and clipboard holder. Large storage compartment in back can also be used as a wastebasket. Installation hardware and instructions included. Pallet Truck sold separately.

MODEL NUMBER	DESCRIPTION	NET WT. (POUNDS)	LIST PRICE EACH
P-CADDY	PALLET TRUCK CADDY	5	


DC-25/UPS/FC-70

## Super Low Profile Pallet Trucks


These pallet trucks are ideal for extra low applications. Features 1½" lowered fork height for extra low profile skids, pallets, or machinery. Fingertip lever switch for raise, lower, and neutral operation. Rubber cushioned handle grip. Powder coat finish.

MODEL NUMBER	CAPACITY (POUNDS)	OVERALL FORK DIMENSIONS	FORK SERVICE RANGE	NET WT. (POUNDS)	LIST PRICE EACH
PM2-2044-SLP	2,200	20"W x 44"L	1-1/2" to 3-3/8"	313	
PM2-2744-SLP	2,200	27"W x 44"L	1-1/2" to 3-3/8"	323	
PM2-3344-SLP	2,200	33"W x 44"L	1-1/2" to 3-3/8"	333	

DC-25/FC-70/92.5/175♦



**New**



User Friendly Entry & Exit Wheel



Solid Steel Push Rods



Hydraulic Pump includes Overload Relief Valve. Pump Bypasses at Full Height.



User Friendly Entry and Exit Rollers with Adjustable Push Rods





Low Profile Design with  
1-7/8" Lowered Height

48 Hours  
to Ship



DVD or VIDEO  
AVAILABLE

SCALE HEAD  
SHOWN WITH PRINTER  
model PM-2748-SCL-LP-PT

## Low Profile Pallet Trucks

The Low Profile Pallet Truck can enter a pallet from all four sides. All steel frame is reinforced to handle 4,000 lb. capacity loads. Individual fork width is 6¾" wide. Wide loop control handle with lift, neutral, and lower functions provides fingertip control. Lifetime lubricated bearings. Hydraulic system has hard chrome plated pump piston with polyurethane seals. Suspension system has heavy-duty thrust bearing. Complete with adjustable push rods, polyurethane wheels, steel load rollers, and red powder coat finish.

MODEL NUMBER	CAPACITY (POUNDS)	OVERALL FORK DIMENSIONS	FORK SERVICE RANGE	NET WT. (POUNDS)	LIST PRICE EACH	LOTS OF 6 PRICE EACH †
PM4-2048-LP <sup>Ⓢ</sup> *	4,000	20-5/8"W x 48"L	1-7/8" to 6"	228		
PM4-2748-LP <sup>Ⓢ</sup>	4,000	27"W x 48"L	1-7/8" to 6"	270		
PM4-3348-LP <sup>Ⓢ</sup>	4,000	33"W x 48"L	1-7/8" to 6"	300		

†SHIPPED CRATED WITHOUT HANDLE ATTACHED

DC-25/FC-70/92.5/175 ♦

\*MODEL PM4-2048-LP HAS A TRIANGULAR APRON

## Pallet Trucks with Digital Scale

The Pallet Truck with Digital Scale allows you to weigh your load on the spot for maximum efficiency. The frame uses heavy-duty steel construction for maximum strength and durability. This model is very user friendly and is suitable for low height lifting. The built-in scale allows you to weigh your load as you are handling it. The scale is selectable in a variety of increments to adjust to the size of your load. It has keyboard calibration and functional setup with automatic zero capabilities. Digital filtering is used to help compensate for vibration and motion to make the Pallet Truck with Digital Scale smooth and accurate. Forks are 7" wide each. Factory calibrated for shipping destination. Scale is powered with (6) D size batteries, AC adapter can be hooked up (not included).

MODEL NUMBER	CAPACITY (POUNDS)	OVERALL FORK DIMENSIONS	FORK SERVICE RANGE	NET WT. (POUNDS)	LIST PRICE EACH
PM-2048-SCL-LP	5,000	22-3/8"W x 48"L	3" to 7½"	338	
PM-2748-SCL-LP	5,000	27-1/2"W x 48"L	3" to 7½"	371	
PM-2048-SCL-LP-PT*	5,000	22-3/8"W x 48"L	3" to 7½"	343	
PM-2748-SCL-LP-PT*	5,000	27-1/2"W x 48"L	3" to 7½"	378	

\* PALLET TRUCK WITH SCALE AND PRINTER

DC-25/FC-70/175 ♦



## Ergonomic Power Assist Pallet Truck

Anyone who has operated a fully loaded pallet truck knows the most strenuous part is starting the wheels rolling. This Pallet Truck solves this back breaking problem. Pumping the handle of the pallet truck serves two purposes. First, it serves the traditional purpose of lifting the forks. Second, switch to the power drive accumulator and by pulling the handle back, the pallet truck begins to roll automatically, thus reducing the pulling force.

MODEL NUMBER	CAPACITY (POUNDS)	OVERALL FORK DIMENSIONS	FORK SERVICE RANGE	NET WT. (POUNDS)	LIST PRICE EACH
PM5-2748-PA-Y	5,000	27"W x 48"L	3" to 7½"	190	

DC-25/FC-70/175 ♦

## All Terrain Pallet Truck

- Inside Straddle is 50" / Outside Straddle is 64"
- Pneumatic Tires have Sealed Bearings for Outside Durability

This lightweight yet strong tubular frame design handles evenly distributed loads up to 2,000 lbs. (2,000 lbs. at 12" horizontal load center and 1,500 lbs. at 15" horizontal load center). Large wheels allow for movement over most surfaces. Use at construction sites, gravel pits, and nurseries. Features large 16" front pneumatic tires and 10" pneumatic steering wheels. Individual forks are 4"W x 2"H. Easy to operate with three position handle, UP, DOWN, and NEUTRAL. Optional Tow Bar package allows the All Terrain Pallet Truck to be towed by an ATV or small utility tractor. Designed for pulling in either loaded or unloaded position.


MODEL NUMBER	*CAPACITY (POUNDS)	ADJUSTABLE FORK WIDTH	FORK LENGTH	SERVICE RANGE	OVERALL SIZE (W x L x H)	NET WT. (POUNDS)	LIST PRICE EACH
ALL-T-2	2,000	9½" to 26"	32"	3' to 9"	64" x 50" x 51"	410	
ALL-TTB	OPTIONAL TOW BAR PACKAGE					62	

\*2,000 lbs. at 12" horizontal load center and 1,500 lbs. at 15" horizontal load center

DC-25/FC-70/175♦



ADJUSTABLE WIDTH FORKS



OPTIONAL TOW BAR PACKAGE

## Gas Powered All Terrain Pallet Trucks

All terrain pallet truck with gas-powered traction drive system. Great for moving heavy loads over rough terrain. Powered by a Briggs & Stratton 6HP gas-powered engine for both the power traction drive and fork lift/lower. Handle with forward reverse speed control and dead man safety switch. Hydrostatic transmission with hand-operated forward and reverse selection. Powered fork raise and lower controlled with independent levers. Usable width between outriggers is 50". Pneumatic steer wheels are 13" diameter x 4" wide each. The drive wheels are 18" diameter x 8½" wide each (foam filled pneumatic wheels on ALL-T-4-GPT standard). Wheels include sealed bearings for outdoor use. Steering arc is 150°.

MODEL NUMBER	*CAPACITY (POUNDS)	ADJUSTABLE FORK WIDTH	FORK (W x L)	SERVICE RANGE	OVERALL SIZE (W x L)	NET WT. (POUNDS)	LIST PRICE EACH
ALL-T-2-GPT	2,000	8" to 36"	4" x 36"	2-5/8" to 12"	79" x 68"	1200	
ALL-T-4-GPT	4,000	8" to 36"	4" x 36"	2-5/8" to 12"	79" x 68"	1200	

\*CAPACITY AT AN 18" LOAD CENTER

DC-25/FC-70/175♦



DVD or VIDEO AVAILABLE

## Big Wheel Pallet Truck

- Steering Wheels are 8" x 2" Poly-on-Steel
- Load Rollers are 4" x 3½"
- Does Not Work with Standard Pallets

Use less pushing or pulling force when transporting large heavy loads across floors with the Big Wheel Pallet Truck. An alternative to fork trucks, this unit makes it easier to move loaded tubs weighing up to 4,500 pounds. The raised height of 16-1/8" and the lowered height 6-1/2" enables the pallet truck to service high bottom tubs. The Big Wheel Pallet Truck retains all of the quality workmanship of our other Pallet Master Pallet Trucks.

MODEL NUMBER	DESCRIPTION	CAPACITY (POUNDS)	OVERALL FORK SIZE (W x L)	SERVICE RANGE	NET WT. (POUNDS)	LIST PRICE EACH
BW-PJ	BIG WHEEL	4,500	26-3/4" x 51-1/2"	5-1/2" to 15-1/2"	299	

DC-25/FC-70/92.5/175♦



## Side Winder Pallet Truck

- Move Long Loads Down Narrow Aisles
- Moves FORWARD, BACKWARD, LEFT, and RIGHT
- Capacity is 3,000 pounds


Transport long loads down narrow aisles with this heavy-duty Sidewinder Pallet Truck. This versatile Pallet Truck retains all the quality workmanship of a standard pallet truck in addition to providing lateral movement. Simply place the forks into the pallet then elevate to approximately seven inches, rotate handle, and lock detent into place. The second set of rollers, right/left, are actuated. Now push the Side Winder perpendicular to the traditional direction.

MODEL NUMBER	DESCRIPTION	CAPACITY (POUNDS)	OVERALL FORK SIZE (W x L)	SERVICE RANGE	NET WT. (POUNDS)	LIST PRICE EACH
SW-PJ	SIDE WINDER	3,000	27" x 48"	3-1/2" to 8"	311	

DC-25/FC-70/92.5/175♦



DVD or VIDEO AVAILABLE





**New**

DVD or VIDEO  
AVAILABLE

## Fully Powered Electric Pallet Trucks

Fully powered pallet truck for easy and quick operation. Includes fingertip raise and lower buttons. Easy-to-operate throttle for forward and reverse direction. Throttle offers infinite forward and reverse speeds. Safety features include a horn and belly reverse button. Units run off 24V batteries with battery charger standard. The 3,000 pound capacity models use two 12V batteries with 70Ah rating. The 4,500 pound capacity models use four 12V batteries with 180Ah rating. Units will typically achieve a minimum of eight (8) hours of service on one full charge. The Non-Adjustable Pallet Jockey, model PJ-1005, will convert the EPT-2748-45 (only) into a Walkie Truck, see page 67.

MODEL NUMBER	CAPACITY* (POUNDS)	FORK SIZE (W x L)	SERVICE RANGE	OVERALL SIZE (W x L x H)	NET WT. (LBS.)	LIST PRICE EACH
EPT-2047-30	3,000	20" x 47"	3.2" to 7.8"	28" x 65" x 49"	660	
EPT-2547-30	3,000	25" x 47"	3.2" to 7.8"	28" x 65" x 49"	671	
EPT-2048-45	4,500	20" x 48"	3.4" to 8"	30" x 78½" x 49"	990	
EPT-2748-45	4,500	27" x 48"	3.4" to 8"	30" x 78½" x 49"	1012	


\*CONTINUOUS DUTY RATING / ADD 500 LBS. CAPACITY FOR INTERMITTENT DUTY RATING

DC-25/FC-70

## Wheel Nose Pallet Trucks


- Take the Guess Work Out of Close Pallet Placement
- Optimize Floor and Truck Space with this Innovative Pallet Truck

The Wheel Nose Pallet Truck is designed to position pallets or skids closely together. The fork end is set back from the front rollers allowing for one pallet pick up at a time. The unit has a rubber grip handle with a three position lever for easy operation and maneuvering. This heavy-duty unit is rated at 5,000 pounds capacity and has a service range from 3½" to 8". Unit includes two articulating steering wheels and two front load rollers. Spring loaded loop handle automatically returns to vertical position when not in use. 38" forks are used for maneuvering in tight spaces.



Wheel Nose Pallet Truck

Standard Pallet Truck



MODEL NUMBER	DESCRIPTION	CAPACITY (POUNDS)	OVERALL FORK SIZE (W x L)	SERVICE RANGE	NET WT. (POUNDS)	LIST PRICE EACH
PM5-2038-WN	WHEEL NOSE	5,000	20" x 38"	3½" to 8"	260	
PM5-2738-WN	WHEEL NOSE	5,000	27" x 38"	3½" to 8"	280	

DC-25/FC-70/92.5/175♦

## Specialized Pallet Trucks (with nylon wheels)

- Pallet Trucks for Corrosive and Sanitary Environments

### STAINLESS STEEL AND STAINLESS STEEL FRAME & FORKS

Ideal for sanitary, pharmaceutical, medical, food, and wet environments. Choose either type 304 stainless steel frame and forks only or 100% type 304 stainless steel pallet truck for long life in even the most harsh environments. 5,500 lbs. capacity.

### GALVANIZED AND ZINC PLATED

Designed for corrosive or wet environments, these full-featured pallet trucks were designed for chemical, pharmaceutical and wash-down applications. 5,500 lbs. capacity.



MODEL NUMBER	DESCRIPTION	OVERALL FORK DIMENSIONS	FORK SERVICE RANGE	NET WT. (LBS.)	LIST PRICE EACH
PM5-2048-SS	STAINLESS STEEL	20"W x 48"L	2-7/8" to 7-3/4"	300	
PM5-2748-SS	STAINLESS STEEL	27"W x 48"L	2-7/8" to 7-3/4"	327	
PM5-2748-SFF	SS FRAME & FORKS	27"W x 48"L	2-7/8" to 7-3/4"	327	
PM5-2748-S-G	GALVANIZED	27"W x 48"L	2-7/8" to 7-3/4"	327	
PM5-2748-S-Z	ZINC COATED	27"W x 48"L	2-7/8" to 7-3/4"	322	

DC-25/FC-70/92.5/175♦

## Skid Adapters for Pallet Trucks

Increase your pallet truck service by 3" to handle skids with the Skid Adapter. Adapts to model PM5- "Pallet Master Pallet Trucks" only with an overall fork width of either 20" or 27" and a minimum fork length of 48". Skid adapter may be rotated into vertical position for normal pallet truck use.

MODEL NUMBER	DESCRIPTION	ACCOMMODATES FORK DIMENSIONS	INCREASED HEIGHT	NET WT. (POUNDS)	LIST PRICE EACH
PM5-20SA	SKID ADAPTERS	20"W x 48"L	3"	60	
PM5-27SA	SKID ADAPTERS	27"W x 48"L	3"	75	

DC-25/FC-70/92.5/175♦

